



HI-PACK & FILL MACHINES PVT. LTD.



PACKAGING MACHINES...

MANUFACTURERS...

EXPORTERS....



Balancing the **Q**uality, **D**urability
& **E**conomy simultaneously...

Company Profile

Zulfiqar Saifi, who laid foundation stone of his company in 1993, now running with the name of **Hi-Pack & Fill Machines Pvt. Ltd.**, with the strong base of more than 700 (Approx.) satisfied customers with more than 7000 (Approx.) installations in India as well Russia, Middle East, Nepal, Bangladesh and African Companies.

As we look at customer and installation ratio it comes to 10 machines per customer which shows our constant relationship with our customers because of our Quality, Service

and constant Research and Development by our team of qualified technocrats and professionals. The experience and strong technical background of management reflects all over right from approaching a client for presentation our product and service range to installation to after sales service.

Company has its regular range of machines for regular applications and arrangements to design and manufacture machines according to customers specific need within a specific time frame.



Our Vision

"Our vision is to make our customer, prosperous with futuristic machines"

Our Mission

"Our mission is to earn loyalty of our existing machines owners and grow our family by developing and marketing a client base who required world class packaging Solutions,,"



Management

Hi-Pack has a proven records of Quality of Service, each member of hi-pack offers their own special contribution to skill base, which includes design, drafting & good old fashioned common sense.

Research & Development (R&D)

Hi-Pack's passionate engineers at R&D division closely observe the need of our clients and work together to transform their passion into innovation.



Exports

Our outstanding performance has build customer trust and faith globally.

After Sales Service

Hi-Pack's Spare parts and service division demonstrate our continued commitment to the customer supports and after sales service.





"Our existence in Packaging Industry is not only as manufacturer but we also balance the Quality, Durability & Economy for our client simultaneously."

ZULFIQAR SAIFI
Managing Director



Mechanical F.F.S Machines



HP-094



F.F.S Four/Three Side Seal



HP-095



Semi-Pneumatic Triangle Pack



HP-096



F.F.S Center/Four/Three Side Seal

Model No.	HP-094	HP-095	HP-096
Sealing Type	Four Side / Three Side	Triangle / Center Sealing	Center / Four Side/ Three Side
To Pack	Paste & Liquid	Powder, Liquid & Granules	Granules & Powder
Packaging Range	0.5ml - 250ml	5gm - 250gm	25gm-1000gm
Filling Type	Volumetric Pump Filler	Volumetric Cup Filler	Volumetric Cup Filler
Speed	30-35 Pouches/min (Depending on the filling volume)	20-45 Pouches/min (Depending on the filling volume)	25-45 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor: 0.25HP/0.5HP, Supply: 230V (Single phase), Heating Load: 2 Kw	Motor: 0.25HP/0.5HP, Supply: 230V (Single phase), Heating Load: 3 Kw	Motor: 0.25HP/0.5HP, Supply: 230V (Single phase), Heating Load: 2 Kw
Compressor Air	-	2.5 cu. Mtrs/Hr. @7 bar	-
Accuracy	±1%	±1%	±1%
Dimension(LxWxH)	950mmX550mmX1800mm	750mmX600mmX2600mm	750mmX550mmX2300mm
Weight	350 Kg (Approx.)	300 Kg (Approx.)	350 Kg (Approx.)

Mechanical F.F.S Machines



HP-097



F.F.S with Auger Filler



HP-099



F.F.S Three Side Sealing



HP-099A



F.F.S Three Side Sealing

Model No.	HP-097	HP-099	HP-099A
Sealing Type	Four side/Three side /Center Seal	Four Side/Three side	Four side/Three side
To Pack	Fine Powder	Granules & Powder	Granules & Powder
Packaging Range	10gm-250gm	0.5gm - 20gm	0.5gm-20gm
Filling Type	Volumetric Auger Filler	Volumetric cup Filler	Volumetric Cup Filler
Speed	35-60 Pouches/min (Depending on the filling volume)	60-65 Pouches/min (Depending on the filling volume)	200-350 Pouches/min (Depending on the filling volume)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor: 0.25Hp/0.5Hp, Supply: 230V (Single phase). Heating Load: 4Kw	Motor: 0.25Hp/0.5Hp, Supply: 230V (Single phase). Heating Load: 2Kw	Motor: 1Hp, Supply: 230V (Single phase). Heating Load: 2.5Kw
Accuracy	±1%	±1%	±1%
Dimension(LXWXH)	1000mmX1000mmX3000mm	900mmX650mmX2000mm	900mmX650mmX2300mm
Weight	450 Kg (Approx.)	350 kg (Approx.)	450 Kg (Approx.)

Collar Type F.F.S Machines

Optional Features

- Coding Unit
- Gas Flushing
- Guesssetting
- Strip Cutting
- Bucket Elevator
- Screw Conveyor
- S.S Construction
- Batch Cutter



HP-101A



HP-101



Pneumatic Collar Type Machine



HP-102A

HP-102



Hi-Speed Collar Type Machine

Model No.	HP- 101	HP-101A	HP-102	HP-102A
Sealing Type	Centre Seal	Centre Seal	Centre Seal	Centre Seal
To Pack	Snacks, Tea, Grains, Sugar Coffee, Spices, Detergent Powder, Salt, etc.	Fine Powder, Mehandi etc. (Specially those fine powder which sticks in hopper)	Fine Powder, Mehandi etc. (Specially those fine powder which sticks in hopper)	Snacks, Tea, Grains, Sugar Coffee, Spices, Detergent Powder, Salt, etc.
Packaging Range	10gm - 2000gm	10gm - 2000gm	10gm - 2000gm	10gm - 2000gm
Filling Type	Volumetric Cup Filler	Volumetric Auger Filler	Volumetric Auger Filler	Volumetric Cup Filler
Speed	15 - 60 pouches/min (as per filling Qty.)	15 - 60 pouches/min (as per filling Qty.)	30 - 90 pouches/min (as per filling Qty.)	30 - 75 pouches/min (as per filling Qty.)
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Power	Load : 2.5 Kw/Hr 230V Single phase	Load : 4 Kw/Hr 230V Single phase	Load : 4 Kw/Hr 230V Single phase	Load : 2.5 Kw/Hr 230V Single phase
Compressor Air	2.5 Cu. Mtrs/Hr@7 bar	2.5 Cu. Mtrs/Hr@7 bar	—	—
Dimension (L X W X H)	1300mmX 980mmX 1750mm (Approx.)	1300mmX 980mmX 1750mm (Approx.)	1250mmX 1500mmX 1800mm (Approx.)	1250mmX 1500mmX 1750mm (Approx.)
Accuracy	±1%	±1%	±1%	±1%

Multiweigher with Baggar



HP-103



Model No.	HP-103
No. of Heads	10 / 14 Heads
Sealing Type	Center Sealing
To Pack	Potato chips, Dry fruits, Snacks, Pasta, Fries etc
Packaging Range	10gm-1000gm
Filling Type	Weigh Filler (Multihead)
Speed	50-60 Pouches/min (As per filling Qty.)
Packing Material	Heat Sealable Laminate
Power	Supply: 230V (Three phase) Load: 5Kw
Accuracy	±0.5-1.5gm
Dimension(LxWxH)	2100mmX2000mmX2800mm
Weight	1800Kg (Approx.)

OPTIONAL

- Gas Flushing
- Guesssetting
- Strip Cutting
- Bucket Elevator
- SS Construction
- Pouch Safety Conveyor
- Batch Coding Device

Multitrack Liquid F.F.S



**Pneumatic
Single Track
HP-094A**

**6 Track
HP-106**

**4 Track
HP-108**

Model No.	HP-094A	HP-108	HP-106
Tracks	1 Track	4 Track	6 Track
Packaging Range	0.5ml-250ml	0.5gm-100gm	0.5ml-20ml
Filling Type	Pump Filling	Cup Filling	Pump Filling
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate	Heat Sealable Laminate
Pouch Size (LxW)	L-25 - 250mm, W-40 - 300mm	L-20 - 100mm W-20 - 50mm	L-20 - 100mm W-20 - 50mm
To Pack	Liquid, Paste & Granules	Granules	Liquid & Paste
Speed	14 - 35 pouches/min (as per filling)	40 - 50 strokes/min (as per filling)	60 - 70 strokes/min (as per filling)
Sealing Type	Centre/Four Side/Three	Four Side	Four Side
Power	Single phase-2 Kw	Three phase-Max 7.5 K	Three phase-Max 7.5 Kw
Dimension (L X W X H)	600mmX1000mm X1800mm	1501mm X1500mm X 2100mm	1500mmX1500mm X 3000mm

Horizontal F.F.S & Candy Machines



HP-098
Horizontal Flow Wrap Machine



HP-100
Candy Pillow Pack Machine



Model No.	HP-098	HP-100
Sealing Type	Center Seal	Center Seal
To Pack	Biscuits, Cream, Wafer Sticks, Cake, Soap, Rusk, Chocolate Bar, Instant Noodles, Engineering Components, Hardware Products etc.	candies
Packaging Range	Length:70mm to 300mm Width:30mm to 180mm Height:3mm to 100mm	L-25mm to 50mm W-20mm to 50mm
Feeding Type	Manual / Automatic	Automatic
Speed	40-120 Pouches/min	300-450 Candies /min
Packing Material	Heat Sealable Laminate	Heat Sealable Laminate
Power	Motor: 1 HP AC with AC Drive/Available DC Motor with DC Drive Voltage: 220V Phase: 3 Phase Load: 3KW	Motor: 1 HP AC with AC Drive/Available DC Motor with DC Drive Voltage: 220V Phase: 3 Phase Load: 2KW
Dimension(LxWxH)	3000mm X1700mmX1800mm(Approx)	1080mmX1000mmX1360mm
Weight	480Kg(Approx)	700 Kg

Sealing Machines / Rewinding Machines



Continuous Band Sealer
HP-105A



Continuous Band Sealer
HP-105

Model No.	HP-105	HP-105A
-----------	--------	---------

Continuous Band Sealer

Sealing Strength	Upto 1 kg	Upto 5kg
------------------	-----------	----------

Model No.	HP-109A	HP-109
-----------	---------	--------

Loading Type	Centre Loading	Side Loading
Max Roll Width	1000mm	450mm
Unwinding Reel diameter	600mm	400mm
Rewinding Reel diameter	76mm OD	76mm OD
Speed	200 mtrs /min (max)	150 mtrs /min (max)
Web Guide stock	±25 mm	±25 mm
Dimension(LxWxH)	2200mmX1500mm X1200mm	1950mmX1580mm X1200mm
Weight	750 Kg (Approx.)	500 Kg (Approx.)



Rewinding Machine
HP-109

Clientele



DS GROUP



VISHAL RETAILS LTD.



PONTY CHADHA GROUP



www.hipackfill.com



- Corporate Office
- Regional Offices

New Delhi ●
Faridabad ●

Ahmedabad ●

Kolkata ●

Mumbai ●

Hyderabad ●

Bangalore ●



Hi-Pack & Fill Machines Pvt. Ltd.

Corporate Office : 12/7, Main Mathura Road, Sarai Khwaja, PO Box-319, Faridabad - 121003
Works : 16/5, Karkhana Bagh, Mathura Road, Faridabad -121002
Tele Fax : (0129) 4044-785 **Phone :** (0129) 2254-087
M : 9811947860, 981112394



sales@hipackfill.com

Marketing & Servicing Associates

Product Disclaimer

All photographs and specifications in this publication are based on product information available at the time of printing. Hi-Pack reserves the right to make changes at any time, without prior notice, to colors, material, specifications, and model numbers to enhance its products.